

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23	(authoriz\$5   authenticat\$3   verif\$7   valid\$5) AND ((process   record   program) NEAR (shar\$3   patient   medical) AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 13:37
L2	23	(authoriz\$5   authenticat\$3   verif\$7   valid\$5) AND ((process   record   program) NEAR (shar\$3   cooperat\$3   collaborat\$3)) AND (patient   medical) AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 13:38
L3	17	session AND (authoriz\$5   authenticat\$3   verif\$7   valid\$5) AND ((process   record   program) NEAR (shar\$3   cooperat\$3   collaborat\$3)) AND (patient   medical) AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 13:38
L4	322	("same"   single   singular   exist\$3   resum\$3   maintain\$3) AND session AND (patient   medical) AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 13:39
L5	41	((("same"   single   singular   exist\$3   resum\$3   maintain\$3) NEAR session) AND (patient   medical) AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 13:39
L6	1	"7441000".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 13:50
L7	20	session shar\$3 AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 13:57

## EAST Search History

L8	104	shared resource AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 14:10
L9	101	access AND (user   client) AND shared resource AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 14:10
L10	29	access AND (user   client) AND "same" instance AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 14:14
L11	89	shared files AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 14:30
L12	48	access control AND (user   client) AND shared resource AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 14:30
L13	36	access AND (user   client) AND "same" (instance   instant) AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 14:33
L14	346	shar\$3 (files   resource\$1) AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 14:41
L15	154	Microsoft AND shar\$3 (files   resource\$1) AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 14:42

## EAST Search History

L16	154	(client   user) AND Microsoft AND shar\$3 (files   resource\$1) AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @riad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 14:42
L17	83	access control AND (client   user) AND Microsoft AND shar\$3 (files   resource\$1) AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @riad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 14:42
L18	21237	(dorn.in.   murphy.in.   pohley.in.   schuelke.in.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 14:46
L19	70	(dorn.in.   murphy.in.   pohley.in.   schuelke.in.) AND user AND login AND access	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 14:46
L20	22	(dorn.in.   murphy.in.   pohley.in.   schuelke.in.) AND user AND login AND access AND authenticat\$3 AND element	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 14:46
L21	22	(dorn.in.   murphy.in.   pohley.in.   schuelke.in.) AND user AND login AND access AND authenticat\$3 AND element\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 14:47
L22	1	(dorn.in.   murphy.in.   pohley.in.   schuelke.in.) AND user AND login AND access AND authenticat\$3 AND element\$1 AND restart\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/23 14:47
S1	2	"6070240".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:21

## EAST Search History

S2	3	"10040213"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:21
S3	7	user login profile AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:25
S4	88	context AND roaming AND switch\$3 AND user AND login AND profile AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:26
S5	61	context AND roaming AND switch\$3 AND user AND identity AND login AND profile AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:26
S6	12	context AND roaming AND switch\$3 AND user AND identity AND login AND profile AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:28
S7	650	login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:28
S8	563	interface AND login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:28
S12	118	log\$4 AND (management OR administration) AND account AND profile AND (content OR context) AND interface AND login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:29

## EAST Search History

S13	115	management AND account AND profile AND (content OR context) AND interface AND login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:07
S14	119	(management OR administration) AND account AND profile AND (content OR context) AND interface AND login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:10
S15	131	account AND profile AND (content OR context) AND interface AND login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:13
S16	6710	microsoft AND windows AND user AND login	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:14
S17	5003	microsoft AND windows AND user AND login AND management	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:14
S18	108	screen saver AND microsoft AND windows AND user AND login AND management	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:17
S19	33	screen\$aver AND microsoft AND windows AND user AND login AND management	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:15
S20	0	screen saver AND kde AND user AND login AND management	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:17

## EAST Search History

S21	0	screen saver AND gnome AND user AND login AND management	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:17
S22	123	screen saver AND window AND user AND login AND management	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:18
S23	30	screen\$1saver AND window AND user AND login AND management AND (@pd< "20011202" or @ad< "20011202" or @prad< "20011202" or @rlad< "20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:18
S24	16	screen\$1saver AND window AND user AND login AND management AND (@pd< "20011202" or @ad< "20011202" or @prad< "20011202" or @rlad< "20011202")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:29
S25	6	screensaver AND user AND login AND authenticat\$4 AND access AND switch\$3 AND interface AND reduc\$4 AND (@pd< "20011202" or @ad< "20011202" or @prad< "20011202" or @rlad< "20011202")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:30
S26	581	user login AND data processing AND (@pd< "20011202" or @ad< "20011202" or @prad< "20011202" or @rlad< "20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 11:24
S27	78	user login AND data processing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd< "20011202" or @ad< "20011202" or @prad< "20011202" or @rlad< "20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 11:24
S28	69	interface AND user login AND data processing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd< "20011202" or @ad< "20011202" or @prad< "20011202" or @rlad< "20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 11:24
S29	41	user interface AND user login AND data processing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd< "20011202" or @ad< "20011202" or @prad< "20011202" or @rlad< "20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 11:25

## EAST Search History

S30	5	switching AND user interface AND user login AND data processing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 11:25
S31	1	user switching AND user interface AND user login AND data processing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 11:25
S32	1629	(application OR resource) AND (unload\$3 OR shutdown OR initializ\$3) AND (713/155,167.cds. OR 709/226) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:33
S33	3450	(application OR resource) AND (unload\$3 OR shutdown OR initializ\$3 OR running) AND (713/155,167.cds. OR 709/226) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:37
S34	382	(logon OR login) AND authentication AND (application OR resource) AND (unload\$3 OR shutdown OR initializ\$3 OR running) AND (713/155,167.cds. OR 709/226) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:37
S35	382	(client OR user) AND (logon OR login) AND authentication AND (application OR resource) AND (unload\$3 OR shutdown OR initializ\$3 OR running) AND (713/155,167.cds. OR 709/226) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:37
S36	292	shar\$3 AND (client OR user) AND (logon OR login) AND authentication AND (application OR resource) AND (unload\$3 OR shutdown OR initializ\$3 OR running) AND (713/155,167.cds. OR 709/226) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 11:23
S37	7	"7213054".pn. OR "6021496".pn. OR "6161139".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 15:45

## EAST Search History

S38	9492	(726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/22 15:12
S39	416	(session\$1   instance\$1) AND authenticat\$3 AND (shar\$3   "same") AND medical AND (726/2-5,7-10,16,17,20,21, 26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/22 15:15
S40	177	(log\$1on   log\$1in   sign\$1on   sign\$1in) AND (session\$1   instance\$1) AND authenticat\$3 AND (shar\$3   "same") AND medical AND (726/2-5,7-10,16,17,20,21, 26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/22 15:15
S41	177	(log\$1on   log\$1in   sign\$1on   sign\$1in) AND (session\$1   instance\$1) AND authenticat\$3 AND (shar\$3   "same"   collaborat\$3) AND medical AND (726/2-5, 7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/22 15:17
S42	177	(log\$1on   log\$1in   sign\$1on   sign\$1in) AND (session\$1   instance\$1) AND authenticat\$3 AND (shar\$3   "same"   collaborat\$3   cooperat\$3) AND medical AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/22 15:17
S43	68	(log\$1on   log\$1in   sign\$1on   sign\$1in) AND (session\$1   instance\$1) AND authenticat\$3 AND (shar\$3   "same"   collaborat\$3   cooperat\$3) AND medical AND patient AND (726/2-5,7-10,16,17,20, 21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/22 15:17



## EAST Search History

S44	85	(log\$1on   log\$1in   sign\$1on   sign\$1in) AND (session\$1   instance\$1   process) AND authenticat\$3 AND (shar\$3   "same"   collaborat\$3   cooperat\$3) AND medical AND patient AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/22 17:13
S45	0	(log\$1on   log\$1in   sign\$1on   sign\$1in) AND authenticat\$3 AND (process NEAR shar\$3) AND medical AND patient AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/22 17:14
S46	1	(process NEAR shar\$3) AND medical AND patient AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/22 17:14
S47	2	((process   record   program) NEAR shar\$3) AND medical AND patient AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/22 17:15
S48	23	((process   record   program) NEAR shar\$3) AND (patient   medical) AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/22 17:17
S49	23	authenticat\$3 AND ((process   record   program) NEAR shar\$3) AND (patient   medical) AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/22 17:17
S51	140	authenticat\$3 AND ((process   record   program   data   information) NEAR shar\$3) AND (patient   medical) AND (726/2-5,7-10,16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/22 17:49

## EAST Search History

S52	9	edwards AND oracle AND (726/2-5,7-10, 16,17,20,21,26-30.ccls.   713/182-186.ccls.   380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/22 17:55
-----	---	--	--	-----	----	------------------